CONTENTS OF VOLUME 36

Abbott, W. N. Displacements of the radiant point during the auroral disturbance of September 22, 1957, 643.

Adey, A. W. Field of a dielectric-loaded, infinite corner reflector, 438.

Adey, A. W. and **Heikkila, W. J.** Measurements of fluctuations of atmospheric temperature, 802.

Adler, R. See Chidley, B., 801.

Agrawal, D. B. See Sodha, M. S., 707.

Aitken, J. H. See Dixon, W. R., 1624.

Armstrong, R. L. See Rao, M. S., 1601.

Artna, A. See Nablo, S. V., 1409.

Assaly, R. N. Experimental investigation of a homogeneous dielectric sphere as a microwave lens, 1430.

Aust, K. T. and **Chalmers, B.** Control of lineage structure in aluminum crystals grown from the melt, 977.

Bachynski, M. P. Absorption in a dielectric slab, 456.

Baerg, A. P., Brown, F., and **Lounsbury, M.** The cross section for the reaction $Cs^{135}(n,\gamma)Cs^{136}$, 863.

Bailey, R. See Kalra, S. N., 1442.

Baker, G. A., Jr. Note on the single-particle energy and the binding energy of many-body, saturated systems, 1261.

Barss, W. M., Basinski, Z. S., and **Nabarro, F. R. N.** Filamentary growth in irradiated uranium, 980.

Basinski, Z. S. See Barss, W. M., 980.

Basinski, Z. S. and **Pearson, W. B.** The non-martensitic diffusionless transition in manganese arsenide at about 40° C, 1017.

Bell, R. E. See Green, R. E., 1684.

Bergsteinsson, J. L., Robinson, L. B., Siddiq, A. K. M., Horsley, R. J., and **Haslam, R. N. H.** A note on the electronic attenuation coefficients for some low Z absorbers, 140.

Berry, R. J. The reproducibility of the steam point, 740.

Betts, R. H., Dahlinger, O. F., and **Munro, D. M.** Mass assignment of the 1.8 hour ytterbium activity, 73.

Bigham, C. B. The thermal-neutron fission cross section of Pu^{240}, 503.

Bloom, M., Robinson, L. B., and **Volkoff, G. M.** Calculation of frequencies and relative intensities of nuclear spin resonance lines in crystals, 1286.

Boivin, G. See Lansraux, G., 1696.

Bonar, L. G. and **Craig, G. B.** Activation energy for creep of tin, 1445.

Brannen, E., Ferguson, H. I. S., and **Wehlau, W.** Photon correlation in coherent light beams, 871.

Britton, F. R. and **Crawford, M. F.** The theory of collision-induced absorption in hydrogen and deuterium, 761.

Bromley, D. A. See Litherland, A. E., 378.

Brouwer, W. and **Petch, H. E.** The ratio of the nuclear g-factors for B^{11} and B^{10}, 632.

Brown, F. See Baerg, A. P., 863.

Burgess, R. E. Polarization fluctuations in a ferroelectric crystal, 1569.

Cabell, M. J. The thermal neutron capture cross section and the resonance absorption integral of Th^{230} (ionium), 989.

Cameron, A. G. W. Nuclear level spacings, 1040.

Campion, P. J. and **Merritt, J. S.** The half-life of Na^{24}, 983.

Carroll, P. K. A new transition in molecular nitrogen, 1585.

Chalmers, B. See Aust, K. T., 977; McCarthy, K. A., 1645.

Chandra, S. and **Scott, G. D.** Condensation coefficients of silver, gold, and copper in vacuum deposition, 1148.

Chatterjee, S. D. See Ramaswamy, G., 635.

Chidley, B., Hinman, G., Goldstein, P., Summers, R., and **Adler, R.** Mu-meson scattering from lead nuclei, 801.

Chidley, B. G., Katz, L., and **Kowalski, S.** Some photoneutron thresholds, 407.
Chopra, K. L. and **Hutchison, T. S.** Ultrasonic attenuation in superconducting aluminum, 805.
Cloutier, J. A. R. and **Henrikson, A.** Study of Ir^{191m}, 1253.
Collins, C. Some observations of aurora using a low-power frequency-modulated radar, 926.
Cottin, M. See Kerwin, L., 184.
Craig, G. B. See Bonar, L. G., 1445.
Crawford, M. F. See Britton, F. R., 761.
Crawford, M. F. and **MacDonald, R. E.** Field-induced absorption in hydrogen, 1022.
Currie, B. W. See Kim, J. S., 160.
Daams, H. See Kalra, S. N., 1442.
Dahlinger, O. F. See Betts, R. H., 73.
Dahlstrom, C., Foster, J. S., and **Thompson, A. L.** Discovery of Pr^{137}, 1483.
Dalby, F. W. The spectrum and structure of the HNO molecule, 1336.
Danby, G. T., Foster, J. S., and **Thompson, A. L.** Successive decays from Pr^{137} and Ce^{137m}: Decay of adjacent praseodymium isotopes, 1487.
Daniels, J. M., Lamarche, J. L. G., and **LeBlanc, M. A. R.** Nuclear orientation experiments with Pr^{142} and Yb^{175} nuclei, 997.
Daniels, J. M. and **LeBlanc, M. A. R.** Nuclear orientation of Mn^{54} in antiferromagnetic single crystals, 638.
Daniels, J. M. and **Wesemeyer, H.** Paramagnetic resonance of chromium in guanidine aluminum sulphate, 144.
The influence of paramagnetic resonance saturation on the Faraday effect, 405.
Davison, B. Spherical-harmonics method for neutron transport theory problems with incomplete symmetry, 462.
On the rate of convergence of the spherical-harmonics method for a sandwich reactor of small lattice pitch, 784.
On the rate of convergence of the spherical-harmonics method in the Milne problem, 1323.
Demers, P. Théorie de la diffusion au cours du développement des couches ionographiques épaisses, 704.
Denholm, A. S. The electrical breakdown of small gaps in vacuum, 476.
Millimicrosecond pulses for checking fast transient analyzers, 1582.
Dixon, R. N. and **Nicholls, R. W.** An experimental study of the band intensities in the CN red system, 127.
Dixon, W. R. Angular energy flux of secondary gamma-rays in matter: Small-angle scattering from a point isotropic source, 419.
Dixon, W. R. and **Aitken, J. H.** The resolution correction in the scintillation spectrometry of continuous X rays, 1624.
Douglas, A. E. The Zeeman effect in the spectra of polyatomic molecules, 147.
Douglas, A. E. and **Rao, K. S.** A new band system of the P_2 molecule analogous to the Lyman–Birge–Hopfield bands of N_2, 565.
Duckworth, H. E. See Eve, C. F., 104; Kerr, J. T., 986.
Duffus, H. J. and **Shand, J. A.** Some observations of geomagnetic micropulsations, 508.
Dugdale, J. S. See Gugan, D., 1248.
Durie, R. A. and **Ramsay, D. A.** Absorption spectra of the halogen monoxides, 35.
Eastwood, T. A. See Graham, R. L., 1084; Roy, J. C., 18.
Edwards, M. H. Refractive index of He^4: liquid, 884.
Eisele, K. M. and **Hollis Hallett, A. C.** The viscosity of liquid helium at frequencies of 11.8 and 35.5 kc./sec., 25.
Eisinger, J. T. See Lew, H., 171.
Eve, C. F. and **Duckworth, H. E.** The luminescence response of phosphors to low energy ion bombardment, 104.
Farnell, G. W. Measured phase distribution in the image space of a microwave lens, 935.
Fenton, A. G., Fenton, K. B., and **Rose, D. C.** The variation of sea level cosmic ray intensity between 1954 and 1957, 824.
Fenton, K. B. See Fenton, A. G., 824.
Ferguson, H. I. S. See Brannen, E., 871.
Fischer, G. $FeSe_2$, a semiconductor containing iron, 1435.

Fischer, G. and **MacDonald, D. K. C.** Magnetoresistance and field dependence of the Hall effect in indium antimonide, 527.

Fischer, G. and **Pearson, W. B.** The electrical conductivity of manganese arsenide and antimonide, 1010.

Forsyth, P. A. The forward-scattered radio signal from an overdense meteor trail, 1112.

Foster, J. S. A microwave antenna with rapid saw-tooth scan, 1652.
See also Dahlstrom, C., 1483; Danby, G. T., 1487; Whitehead, A. B., 1276.

Foster, J. S., Hilborn, J. W., and **Yaffe, L.** Radioactive isotopes of rhenium and osmium formed by the bombardment of rhenium with protons, 555.

Gadamer, E. O. See Schumacher, B. W., 659.

Garrett, C. Modification of the basis for roentgen calibrations between 0.5 and 3 Mev., 149.

Geiger, F. E., Jr. See Lew, H., 171.

Geiger, J. S. See Graham, R. L., 1084.

Gharpurey, M. K. See Guru Moorti, V. R., 1319.

Godoli, G. Studies of some infrared Fraunhofer lines, 431.

Gold, L. W. Some observations on the dependence of strain on stress for ice, 1265.

Goldstein, P. See Chidley, B., 801.

Goodman, R. H. See Nablo, S. V., 1409.

Gove, H. E. See Litherland, A. E., 378.

Graham, R. L., Geiger, J. S., and **Eastwood, T. A.** Experimental evidence for axial vector interaction in the disintegration of Pr^{144}, 1084.

Green, R. E. and **Bell, R. E.** The quenching of triplet positronium by ions in aqueous solutions, 1684.

Grün, A. E. On the fluorescence of air, excited by fast electrons: light yield as a function of pressure, 858.

Gugan, D. and **Dugdale, J. S.** The influence of the martensitic transformation on the electrical resistance of sodium, 1248.

Guru Moorti, V. R. and **Gharpurey, M. K.** The texture of zinc and cadmium films deposited on fresh cleavage faces of mica, 1319.

Haering, R. R. Band structure of rhombohedral graphite, 352.
Zeeman splitting of donor states in germanium, 1161.

Hanna, G. C. See Hincks, E. P., 231; Millar, C. H., 54.

Hare, W. F. J. and **Welsh, H. L.** Pressure-induced infrared absorption of hydrogen and hydrogen – foreign gas mixtures in the range 1500–5000 atmospheres, 88.

Hartz, T. R. Auroral radiation at 500 Mc., 677.

Haslam, R. N. H. See Bergsteinsson, J. L., 140; Siddiq, A. K. M., 963.

Hawkings, R. C. See Roy, J. C., 18.

Hay, D. R. Air-mass refractivity in central Canada, 1678.

Heaps, H. S. Optimum filter functions for the detection of pulsed signals in noise, 692.

Heikkila, W. J. See Adey, A. W., 802.

Henriksen, A. See Cloutier, J. A. R., 1253.

Henry, W. G. The Sommerfeld model and the heat of solution of an alloy, 611.

Heylen, A. E. D. and **Lewis, T. J.** The electric strength and molecular structure of hydrocarbon gases, 721.

Hilborn, J. W. See Foster, J. S., 555.

Hincks, E. P. See Millar, C. H., 54.

Hincks, E. P. and **Millar, C. H.** *With an appendix by* **Hanna, G. C.** A search for α-particles from the decay of Bi^{209}, 231.

Hines, C. O. Diurnal variations in the number of shower meteors detected by the forward-scattering of radio waves. Part III. Ellipsoidal theory, 117.
A theoretical rate–amplitude relation in meteoric forward-scattering, 539.
See also Moorcroft, D. R., 134.

Hinman, G. See Chidley, B., 801.

Hobson, J. P. and **Redhead, P. A.** Operation of an inverted-magnetron gauge in the pressure range 10^{-3} to 10^{-12} mm. Hg, 271.

Hollis Hallett, A. C. See Eisele, K. M., 25; Woods, A. D. B., 253, 1125.

Holuj, F. and **Petch, H. E.** A study of the boron sites in colemanite, $CaB_3O_4(OH)_3.H_2O$, 145.

Horsley, R. J. See Bergsteinsson, J. L., 140.

Horton, G. K. and **Schiff, H.** Low temperature behavior of Debye characteristic temperatures, 1127.

Hurd, R. A. Scattering from a small anisotropic ellipsoid, 1058.
The magnetic fields of a ferrite ellipsoid, 1072.

Hutchison, T. S. See Chopra, K. L., 805.

Hutchison, T. S. and **Hutton, G. J.** The effect of heat treatment on low temperature internal friction maxima, 82.

Hutton, G. J. See Hutchison, T. S., 82.

Jackson, K. A. Kinetics of alloy solidification, 683.

Jain, P. L. Decay of heavy hyperfragment, 1247.

Jan, J.-P., Pearson, W. B., and **Templeton, I. M.** Thermoelectricity at low temperatures. V. The suitability of lead as a standard reference material, 627.

Jatar, D. P. Space charge relations for the low-frequency silent electric discharge in hydrogen, 1551.

Johns, M. W. See Nablo, S. V., 1409.

Kaempffer, F. A. On possible realizations of Mach's Program, 151.

Kalra, S. N., Bailey, R., and **Daams, H.** Cesium beam standard of frequency, 1442.

Katz, L. See Chidley, B. G., 407; King, H. J., 415.

Katzman, J. A cosmic ray increase related to solar activity, 807.

Kavadas, A. See Lyon, G. F., 1661.

Kerner, E. H. Note on the forced and damped oscillator in quantum mechanics, 371.

Kerr, J. T. and **Duckworth, H. E.** Atomic masses of Kr^{84}, Kr^{86}, Xe^{129}, Xe^{132}, Hg^{200}, Hg^{201}, and Hg^{204}, 986.

Kerwin, L. On the displacement of an ion beam image by magnetic fringing fields, 711.

Kerwin, L. and **Cottin, M.** Mass spectrometric analysis of some hydrogen oxides. I, 184.

Kim, J. S. and **Currie, B. W.** Horizontal movements of aurora, 160.

King, H. J. and **Katz, L.** Photoneutron threshold and cross section for $_{71}Lu^{175}$, 415.

Kirkaldy, J. S. The time-dependent diffusion theory for condensation on spherical and plane surfaces, 446.
Diffusion in multicomponent metallic systems. I. Phenomenological theory for substitutional solid solution alloys, 899.
Diffusion in multicomponent metallic systems. II. Solutions for two-phase systems with applications to transformations in steel, 907.
Diffusion in multicomponent metallic systems. III. The motion of planar phase interfaces, 917.

Kovács, I. On the spin–orbit interaction in diatomic molecules. I, 309.
On the spin–orbit interaction in diatomic molecules. II, 329.

Kowalski, S. See Chidley, B. G., 407.

Lamarche, J. L. G. See Daniels, J. M., 997.

Lansraux, G. and **Boivin, G.** Numerical determination of the factor of encircled energy relative to a diffraction pattern of revolution, 1696.

Larson, V. C. See Scheidegger, A. E., 1476.

LeBlanc, M. A. R. See Daniels, J. M., 638, 997.

Lee-Whiting, G. E. Polarization of electrons in forbidden β-decay, 252.
The theory of forbidden β-decay, 1199.

Lew, H., Morris, D., Geiger, F. E., Jr., and **Eisinger, J. T.** Rotational spectra of RbF by the electric resonance method, 171.

Lewis, T. J. See Heylen, A. E. D., 721.

Liehr, A. D. Errata and some additional comments on critical study of vibronic interaction calculations, 1588.

Lipsett, F. R. and **Tardif, L.** The angular distribution of intensity and polarization ratio of the fluorescence of anthracene crystals, 1438.

Litherland, A. E., McManus, H., Paul, E. B., Bromley, D. A., and **Gove, H. E.** An interpretation of the low-lying excited states of Mg^{25} and Al^{25}, 378.

Loh, S. C. and **Wong, J. Y.** Radiation field of an elliptic loop antenna with a constant current, 672.

Lounsbury, M. See Baerg, A. P., 863.

Lovejoy, D. R. Accuracy of optical pyrometry in the range 800° C to 4000° C, 1397.

Lyon, G. F. and **Kavadas, A.** Horizontal motions in radar echoes from aurora, 1661.

McCarthy, K. A. and **Chalmers, B.** Energies of grain boundaries in silver chloride crystals, 1645.

McCarty, M., Jr. See Robinson, G. W., 1590.

MacDonald, D. K. C. See Fischer, G., 527.

MacDonald, R. E. See Crawford, M. F., 1022.

McEwen, D. J. and **Montalbetti, R.** Parallactic measurements on aurorae over Churchill, Canada, 1593.

McLaren, E. H. The freezing points of high purity metals as precision temperature standards. III. Thermal analyses on eight grades of zinc with purities greater than 99.99+%, 585.

The freezing points of high purity metals as precision temperature standards. IV. Indium: Thermal analyses on three grades of cadmium, 1131.

McManus, H. See Litherland, A. E., 378.

McNamara, A. G. A continuously recording automatic auroral radar, 1.

McNarry, L. R. Oscillations in the omegatron, 1710.

Merritt, J. S. See Campion, P. J., 983.

Millar, C. H. See Hincks, E. P., 231.

Millar, C. H., Hincks, E. P., and **Hanna, G. C.** A large-area liquid scintillation counter and some measurements on high-energy cosmic-ray particles, 54.

Montalbetti, R. See McEwen, D. J., 1593.

Moorcroft, D. R. and **Hines, C. O.** Resonance effects in the theory of meteor observability, 134.

Morris, D. See Lew, H., 171.

Mungall, A. G. Measurement of the dielectric properties of low loss materials at millimeter wavelengths, 1672.

Munro, D. M. See Betts, R. H., 73.

Nabarro, F. R. N. See Barss, W. M., 980.

Nablo, S. V., Johns, M. W., Artna, A., and **Goodman, R. H.** The decay of Os^{191} and Os^{193}, 1409.

Niblett, E. R. The stability of couette flow in an axial magnetic field, 1509.

Nicholls, R. W. See Dixon, R. N., 127.

Nicholls, R. W. and **Parkinson, W. H.** Shock-induced physical and chemical surface changes on oxide powders, 625.

Nigam, B. P. and **Sundaresan, M. K.** Spin–orbit interaction in nuclei, 571.

Niven, C. D. On the friction of inflated rubber tires on ice, 599.

Northover, F. H. Radiation and surface currents from a slot on an infinite conducting cylinder, 206.

Parkinson, W. H. See Nicholls, R. W., 625.

Paul, D. A. L. Long τ_2 lifetimes from positronium annihilations in liquid argon and liquid nitrogen, 640.

Paul, E. B. See Litherland, A. E., 378.

Pearson, W. B. The valence state of metallic lead, 631.
See also Basinski, Z. S., 1017; Fischer, G., 1010; Jan, J.-P., 627.

Peiffer, H. R. The effect of elongation on the electrical resistivity of polycrystalline zinc, 1245.

Pennington, E. M. and **Preston, M. A.** Alpha decay of spheroidal nuclei, 944.

Perey, F. G. J. and **Pounder, E. R.** Crystal orientation in ice sheets, 494.

Petch, H. E. See Brouwer, W., 632; Holuj, F., 145.

Pounder, E. R. Mechanical strength of ice frozen from an impure melt, 363.
See also Perey, F. G. J., 494.

Preston, M. A. See Pennington, E. M., 944; Preston, R. L., 579.

Preston, R. L. and **Preston, M. A.** A study of nucleon forces with repulsive cores. IV. Calculations of the shape-dependent parameters in neutron–proton scattering, 579.

Ramaswamy, G. and **Chatterjee, S. D.** Cosmic-ray intensity variations at sea level during magnetic-storm periods, 635.

Ramsay, D. A. See Durie, R. A., 35.

Rao, K. S. Rotational analysis of the γ system of the PO molecule, 1526.
See also Douglas, A. E., 565.

Rao, M. S. Analysis of meteoric body doppler radar records taken during a Geminid shower period, 840.

Rao, M. S. and **Armstrong, R. L.** Investigation of the drifts of the effective point of radio reflection along a meteor train, 1601.

Rao, P. T. See Rao, V. V., 1557.

Rao, V. V. and **Rao, P. T.** The visible emission spectrum of the Cl_2^+, 1557.

Redhead, P. A. The Townsend discharge in a coaxial diode with axial magnetic field, 255. See also Hobson, J. P., 271.

Robinson, G. W. and **McCarty, M., Jr.** Radical spectra at liquid helium temperatures, 1590.

Robinson, L. B. The nuclear spin resonance spectrum of Al^{27} in spodumene, 1295. See also Bergsteinsson, J. L., 140; Bloom, M., 1286.

Robson, J. M. The electron neutrino angular correlation in the beta decay of the free neutron, 1450.

Rose, D. C. See Fenton, A. G., 824.

Roy, J. C., Eastwood, T. A., and **Hawkings, R. C.** Evidence for the formation of long-lived Bi^{208} by the $(n, 2n)$ reaction on bismuth, 18.

Scheidegger, A. E. A survey of the mathematics available for describing fracture, 300. The random-walk model with autocorrelation of flow through porous media, 649.

Scheidegger, A. E. and **Larson, V. C.** Asymmetry of the concentration front during miscible displacement in porous media, 1476.

Schiff, H. See Horton, G. K., 1127.

Schumacher, B. W. and **Gadamer, E. O.** Electron beam fluorescence probe for measuring the local gas density in a wide field of observation, 659.

Scott, G. D. See Chandra, S., 1148.

Shand, J. A. See Duffus, H. J., 508.

Shkolnik, V. See Standil, S., 1154.

Siddiq, A. K. M. See Bergsteinsson, J. L., 140.

Siddiq, A. K. M. and **Haslam, R. N. H.** The nuclear absorption of X-rays by oxygen, 963.

Sodha, M. S. and **Agrawal, D. B.** Low-field mobility of carriers in nondegenerate semiconductors, 707.

Standil, S. and **Shkolnik, V.** Measurements of absolute pair production cross sections at low energies, 1154.

Steketee, J. A. On Volterra's dislocations in a semi-infinite elastic medium, 192. Some geophysical applications of the elasticity theory of dislocations, 1168.

Stoicheff, B. P. High resolution Raman spectroscopy of gases. XI. Spectra of CS_2 and CO_2, 218.

Summers, R. See Chidley, B., 801.

Sundaresan, M. K. See Nigam, B. P., 571.

Tardif, L. See Lipsett, F. R., 1438.

Tauber, G. E. A generalized variational principle for transport phenomena, 1308.

Templeton, I. M. See Jan, J.-P., 627.

Terentiuk, F. Measurement of artificial radioactivity in the atmosphere at Ottawa, Canada, 136.

Thompson, A. L. See Dahlstrom, C., 1483; Danby, G. T., 1487.

Volkoff, G. M. See Bloom, M., 1286.

Wait, J. R. On the theory of propagation of electromagnetic waves along a curved surface, 9. A phenomenological theory of induced electrical polarization, 1634.

Wehlau, W. See Brannen, E., 871.

Welsh, H. L. See Hare, W. F. J., 88.

Wesemeyer, H. See Daniels, J. M., 144, 405.

White, G. K. and **Woods, S. B.** Low temperature resistivity of the transition elements: ruthenium and osmium, 875.

Whitehead, A. B. and **Foster, J. S.** Activation cross sections for $C^{12}(p, pn)C^{11}$, $O^{16}(p, \alpha)N^{13}$, and $F^{19}(p, pn)F^{18}$, 1276.

Whitham, K. The relationships between the secular change and the non-dipole fields, 1372.

Williams, R. L. Properties of cadmium sulphide photoconductive cells, 1536.

Wong, J. Y. Measured self-impedance of a dipole antenna near a conducting cylinder of elliptical cross section, 855.
See also Loh, S. C., 672.

Woods, A. D. B. and **Hollis Hallett, A. C.** The viscosity of liquid helium between 0.78° K. and 1.1° K., 253.
The kinematic viscosity of liquid helium II, 1125.

Woods, S. B. See White, G. K., 875.

Woodside, W. Calculation of the thermal conductivity of porous media, 815.

Worsley, B. H. The self-consistent field with exchange for neon by FERUT program, 289.

Yaffe, L. See Foster, J. S., 555.

Yamaguchi, S. Spontaneous magnetization of a thin film measured by electron diffraction, 1251.

CORRECTIONS

Vol. 35, 1957.

Page 615.	$3\nu_1+2\nu_2+\nu_3$	$R(32)$	Read 6.595	instead of 6.495
618.	$2\nu_1+\nu_2+\nu_3-\nu_2$	$R(15)$	4.784	4.769
620.	Tableau VI	ω_1	1354.91	1354.94
		ω_2	673.00	673.02
		ω_3	2396.49	2396.40
		x_{12}	3.65	3.62
621.	Equation (3)	W'	$-(W_0\ldots$	$(W_0\ldots$
623.	Line 17	W_0	51.33	51.31
624.	04^01	W_0	4958.64	4968.64
629.	Line 13		B'^c, D'^c	B'^d, D'^d
	Line 14		B'^d, D'^d	B'^c, D'^c
648.	Reference 6		**40**, 339	**40**, 1950

Vol. 35, 1957. Pages 1361–1379. In Table VIII the neutron-binding energies as determined by mass measurements of some of the hafnium isotopes were misquoted. The binding energies of nuclei formed by neutron capture in Hf^{176}, Hf^{177}, Hf^{178}, and Hf^{179} should read 6.28, 7.55, 6.17, 7.32 Mev. respectively. The remarks in the final paragraph concerning the comparison between the γ-ray energies and the binding energies determined from the mass measurements therefore do not apply. We are grateful to Dr. W. H. Johnson for bringing this error to our attention.

Vol. 36, 1958. Page 710. The following correction was submitted by M. S. Sodha, Aerophysics Section, Propulsion and Fluids Research Department, Armour Research Foundation, Chicago 16, Illinois, concerning the paper *Low field mobility of carriers in nondegenerage semiconductors*. "Dr. R. Stratton of Manchester pointed out in a private communication that Table I was based on a consistent arithmetical error. Accordingly, the calculations were revised and the correct results are presented in the table below. The data notation and the relevant equations used are the same as those given in the paper.

T (°K)	x_0	$I(x_0, 1)$	β/β_0	$x_0^3F(x_0)$
800	0.4	0.782	0.0414	0.0021
533	0.6	0.789	0.0296	0.0052
400	0.8	0.798	0.0240	0.0099
320	1.0	0.808	0.0210	0.0169
267	1.2	0.819	0.0191	0.0266
229	1.4	0.830	0.0181	0.0401
200	1.6	0.842	0.0175	0.0578

These results are in substantial agreement with experiment. From somewhat different considerations Stratton (private communication) arrives at values of β/β_0 of the same order of magnitude as given in the above table."